

Species Common name	Species Latin name	Event	Dates for which records are available (and some indication of quality)
Trees and Shrubs			
Alder	<i>Alnus glutinosa</i>	Budburst	2000 - present day
		First leaf	2000 - present day
Ash	<i>Fraxinus excelsior</i>	Budburst	2000 - present day
		First leaf	1753 - 1810 (individual records), 1819 - 1937 (individual records), 1938 - 1947 (good coverage), 1972 - 1999, 2000 - present day
		Amount of fruit	2000 - present day
		First autumn tinting	1999 - present day
		Full autumn tinting	1999 - present day
		Leaves falling	1999 - present day
		Bare tree	1938 - 1946 (good coverage), 1999 - present day
Beech	<i>Fagus sylvatica</i>	Budburst	1987 - 1999 (individual records), 2000 - present day
		First leaf	1753 - 1810 (individual records), 1845 - 1887 (individual records), 1938 - 1947 (good coverage), 1980 - 1999, 2000 - present day
		First ripe fruit	1999 - present day
		Amount of fruit	2000 - present day
		First autumn tinting	1999 - present day
		Full autumn tinting	1999 - present day
		Leaves falling	1999 - present day
		Bare tree	1938 - 1946 (good coverage), 1999 - present day
Blackthorn	<i>Prunus spinosa</i>	First flowering	1935 - 1939 (good coverage) 1942 - 1954 (good coverage), 1992 - 1998 (individual records), 2000 - present day
		First ripe fruit	1999 - present day
		Amount of fruit	2000 - present day
Bramble	<i>Rubus fruticosus</i> <i>agg.</i>	First ripe fruit	1894 - 1999 (individual records), 2000 - present day
		Amount of fruit	our dataset begins in 2000
Dog Rose	<i>Rosa canina</i>	First flowering	1819 - 1867 (individual records), 1891-1999 (very good - 8684 records), 2000 - present day
		First ripe fruit	1999 - present day
		Amount of fruit	2000 - present day
Elder	<i>Sambucus nigra</i>	Budburst	1985 - 1999 (individual records), 2000 - present day
		First leaf	1984-1999 (individual records),

			2000 - present day
		First flowering	1933 - 1947, 1972 - 1999 (individual records), 2000 - present day
		First ripe fruit	1999 - present day
		Amount of fruit	2000 - present day
		First autumn tinting	1999 - present day
		Full autumn tinting	1999 - present day
		Leaves falling	1999 - present day
		Bare shrub	1999 - present day
European Larch	<i>Larix decidua</i>	Budburst	1999 - present day
		First leaf	1979 - 1999 (individual records) 2000 - present day
Field maple	<i>Acer campestre</i>	Budburst	1999 - present day
		First leaf	1770 - 1810 (individual records), 1819 - 1865 (individual records), 1893 - 1947 (individual records), 2000 - present day
		Amount of fruit	2000 - present day
		First autumn tinting	1999 - present day
		Full autumn tinting	1999 - present day
		Leaves falling	1999 - present day
		Bare tree	1999 - present day
Hawthorn	<i>Crataegus monogyna</i>	Budburst	1989 - 1999 (individual records), 2000 - present day
		First leaf	1753 - 1810 (individual records), 1849 - 1954 (good coverage), 1976 - 1999 (good coverage), 2000 - present day
		First flowering	1753 - 1810 (individual records), 1818 - 1890 (individual records), 1891 - 1947 (very good - 9015 records), 1974 - 1999 (individual records), 2000 - present day
		First ripe fruit	1999 - present day
		Amount of fruit	2000 - present day
		First autumn tinting	1999 - present day
		Full autumn tinting	1999 - present day
		Leaves falling	1999 - present day
		Bare shrub	1999 - present day
Hazel	<i>Corylus avellana</i>	First flowering	1872 - 1902 (individual records), 1923 - 1999 (good coverage), 2000 - present day
		First ripe fruit	1999 - present day
		Amount of fruit	2000 - present day
		First autumn tinting	1999 - present day
		Full autumn tinting	1999 - present day
		Leaves falling	1999 - present day
		Bare shrub	1999 - present day
Holly	<i>Ilex aquifolium</i>	First ripe fruit	1999 - present day
		Amount of fruit	1999 - present day

Horse chestnut	<i>Aesculus hippocastanum</i>	Budburst	1977 - 1999 (individual records), 2000 - present day
		First leaf	1758 - 1810 (individual records), 1819 - 1932 (individual records), 1933 - 1999 (good coverage), 2000 - present day
		First flowering	1891 - 1999 (very good - 8697 records), 2000 - present day
		First ripe fruit	1933 - 1947 (good coverage), 1999 - present day
		Amount of fruit	2000 - present day
		First autumn tinting	1933 - 1946 (good coverage), 1999 - present day
		Full autumn tinting	1999 - present day
		Leaves falling	1999 - present day
		Bare tree	1933 - 1946 (good coverage), 1999 - present day
Lilac	<i>Syringa vulgaris</i>	First flowering	1933 - 1947 (good coverage), 1983 - 1999 (individual records), 2000 - present day
Oak, pedunculate	<i>Quercus robur</i>	Budburst	1999 - present day
		First leaf	1753 - 1810 (individual records), 1828 - 1937 (individual records), 1938 - 1947 (good coverage), 1967 - 1999 (good coverage), 2000 - present day
		First flowering	1933 - 1947 (good coverage), 1999 - present day
		First ripe fruit	1999 - present day
		Amount of fruit	2000 - present day
		First autumn tinting	1999 - present day
		Full autumn tinting	1999 - present day
		Leaves falling	1999 - present day
		Bare tree	1938 - 1946 (good coverage), 1999 - present day
Oak, sessile	<i>Quercus petraea</i>	Budburst	2000 - present day
		First leaf	1938 - 1947 (good coverage), 2000 - present day
		First flowering	2000 - present day
		First ripe fruit	2000 - present day
		Amount of fruit	2000 - present day
		First autumn tinting	2000 - present day
		Full autumn tinting	2000 - present day
		Leaves falling	2000 - present day
		Bare tree	1938 - 1946 (good coverage), 2000 - present day
Rowan	<i>Sorbus aucuparia</i>	Budburst	1999 - present day
		First leaf	1755 - 1810 (individual records), 1846 - 1947 (individual records), 1990 - 1999 (individual records), 2000 - present day

		First flowering	1952 - 1977 (individual records), 1980 - 1999 (individual records), 2000 - present day
		First ripe fruit	1999 - present day
		Amount of fruit	2000 - present day
		First autumn tinting	1999 - present day
		Full autumn tinting	1999 - present day
		Leaves falling	1999 - present day
		Bare tree	1999 - present day
Silver birch	<i>Betula pendula</i>	Budburst	1987 - 1999 (individual records), 2000 - present day
		First leaf	1753 - 1810 (individual records), 1846 - 1865 (individual records), 1869 - 1947 (individual records), 1987 - 1999 (individual records), 2000 - present day
		First flowering	1954 - 1999 (individual records), 2000 - present day
		First autumn tinting	1999 - present day
		Full autumn tinting	1999 - present day
		Leaves falling	1999 - present day
		Bare tree	1999 - present day
Sycamore	<i>Acer pseudoplatanus</i>	Budburst	1999 - present day
		First leaf	1753 - 1810 (individual records), 1819 - 1939 (individual records), 1940 - 1947 (individual records), 1988 - 1999 (individual records), 2000 - present day
		Amount of fruit	2000 - present day
		First autumn tinting	1999 - present day
		Full autumn tinting	1999 - present day
		Leaves falling	1999 - present day
		Bare tree	1999 - present day
Flowers			
Bluebell	<i>Hyacinthoides non-scripta</i>	First flowering	1925 - 1999 (individual records), 2000 - present day
Colt's-foot	<i>Tussilago farfara</i>	First flowering	1891 - 1999, 2000 - present day
Cuckoo flower	<i>Cardamine pratensis</i>	First flowering	1940 - 1999, 2000 - present day
Garlic mustard	<i>Alliaria petiolata</i>	First flowering	1891 - 1947 (very good - 7394 records), 1950 - 1999, 2000 - present day
Lesser celandine	<i>Ranunculus ficaria</i>	First flowering	1923 - 1999 (very good - 3058 records), 2000 - present day
Oxeye daisy		First flowering	1891 - 1999 (very good - 8235 records), 2000 - present day

Snowdrop	<i>Galanthus nivalis</i>	First flowering	1923 - 1999 (very good - 3050 records), 2000 - present day
Wood anemone	<i>Anemone nemorosa</i>	First flowering	1773 - 1812 (individual records), 1871 - 1890 (individual records), 1891 - 1959 (very good - 8155 records), 1966 - 1999 (good coverage), 2000 - present day
Ivy	<i>Hedera helix</i>	First flowering	1891 - 1959 (very good - 5632 records), 1967 - 1999, 2000 - present day
		Amount of fruit	2000 - present day
Grasses and Fungi			
Cocksfoot	<i>Dactylis glomerata</i>	First flowering	1999 - present day
Meadow foxtail	<i>Alopecurus pratensis</i>	First flowering	1953 - 1998 (individual records), 1999 - present day (individual records)
Timothy	<i>Phleum pratense</i>	First flowering	1962 - 1998 (individual records), 1999 - present day (individual records)
Yorkshire fog	<i>Holcus lanatus</i>	First flowering	1999 - present day (individual records)
Lawn	<i>Lawn</i>	First cut	1974 - 1999 (individual records), 2000 - present day
		Last cut	1990 - 1999 (individual records), 2000 - present day
		Cut all winter	2000 - present day
Fly agaric	<i>Amanita muscaria</i> <i>var. muscaria</i>	First recorded	1999 - present day
Birds			
Blackbird	<i>Turdus merula</i>	First nest building	1984 - 1999 (individual records), 2000 - present day
		First feeding young	1954-1998 (individual records), 1999 - present day
		Juvenile first recorded	1972 - 1999 (individual records), 2000 - present day
Blackcap	<i>Sylvia atricapilla</i>	First recorded	1879 - 1999 (very good - 2895 records), 2000 - present day
Blue tit	<i>Cyanistes caeruleus</i>	First nest building	1979 - 1999 (individual records), 2000 - present day
		First feeding young	1989 - 1999 (individual records), 2000 - present day
Chiffchaff	<i>Phylloscopus collybita</i>	First recorded	1879 - 1999 (very good - 5605 records)
		Recorded all winter	1963 - 1986 (individual records), 2000 - present day

Cuckoo	<i>Cuculus canorus</i>	First recorded	1753 - 1999 (very good - 13082 records), 2000 - present day
Fieldfare	<i>Turdus pilaris</i>	First recorded	1905 - 1913, 1923 - 1955, 1973 - 1999, 2000 - present day
		Last recorded	1907 - 1913, 1923 - 1999 (individual records), 2000 - present day
Great tit	<i>Parus major</i>	First nest building	1992 - 1999 (individual records), 2000 - present day
		First feeding young	1990 - 1999 (individual records), 2000 - present day
House martin	<i>Delichon urbicum</i>	First recorded	1907 - 1999 (very good - 5304 records), 2000 - present day
		Last recorded	1906 - 1913, 1922 - 1999, 2000 - present day
Nightingale	<i>Luscinia megarhynchos</i>	First recorded	1754 - 1890 (individual records), 1891 - 1966, 1987 - 1999 (good coverage), 2000 - present day
Redwing	<i>Turdus iliacus</i>	First recorded	1906 - 1913, 1922 - 1957, 1961 - 1999, 2000 - present day
		Last recorded	1907 - 1913 (individual records), 1923 - 1939 (individual records), 2000 - present day
Rook	<i>Corvus frugilegus</i>	First nest building	1753 - 1966 (individual records), 1983 - 1999 (individual records), 2000 - present day
Sand martin	<i>Riparia riparia</i>	First recorded	1903 - 1999 (very good - 3045 records), 2000 - present day
Song thrush	<i>Turdus philomelos</i>	Singing first heard	1753 - 1885 (individual records), 1891 - 1999 (very good - 6000 records), 2000 - present day
		Recorded all winter	2000 - present day
Spotted flycatcher	<i>Muscicapa striata</i>	First recorded	1891 - 1999 (very good - 4491 records), 2000 - present day
Swallow	<i>Hirundo rustica</i>	First recorded	1754 - 1879 (individual records), 1880 - 1999 (very good - 13449 records), 2000 - present day
		Last recorded	1754 - 1879 (individual records), 1880 - 1999 (very good - 13449 records), 2000 - present day
Swift	<i>Apus apus</i>	First recorded	1907 - 1999 (very good - 6484

			records), 2000 - present day
		Last recorded	1907 - 1914, 1923 - 1999, 2000 - present day
Turtle Dove	<i>Streptopelia turtur</i>	First recorded	1906 - 1965, 1990 - 1999, 2000 - present day
Wheatear	<i>Oenanthe oenanthe</i>	First recorded	1903 - 1966, 1977 - 1999, 2000 - present day
Whitethroat	<i>Sylvia communis</i>	First recorded	1907 - 1999 (very good - 4314 records), 2000 - present day
Willow warbler	<i>Phylloscopus trochilus</i>	First recorded	1891 - 1999 (very good - 5575 records), 2000 - present day
Insects			
Brimstone	<i>Gonepteryx rhamni</i>	First recorded	1770 - 1810 (individual records), 1846 - 1906 (individual records), 1907 - 1955 (individual records), 1965 - 1999 (individual records), 2000 - present day
Red tailed bumblebee (queen)	<i>Bombus (Melanobombus) lapidarius</i>	First recorded	2000 - present day
Comma	<i>Polygonia c-album</i>	First recorded	1942 - 1965 (individual records), 1979 - 1999, 2000 - present day
Green-veined white	<i>Pieris rapae</i>	First recorded	1972 - 1999 (individual records), 2000 - present day
Holly blue	<i>Celastrina argiolus</i>	First recorded	1940 - 1945, 1977 - 1999, 2000 - present day
Ladybird (7 spot)	<i>Coccinella septempunctata</i>	First recorded	1942 - 1961 (individual records), 1971 - 1980 (individual records), 1990 - 1998 (individual records), 2000 - present day
		First mating	2000 - present day
Orange tip	<i>Anthocharis cardamines</i>	First recorded	1891 - 1956 (very good - 5308 records), 1970 - 1999, 2000 - present day
Peacock	<i>Inachis io</i>	First recorded	1923 - 1979, 1980 - 1999, 2000 - present day
Red admiral	<i>Vanessa atalanta</i>	First recorded	1923 - 1934, 1937 - 1960, 1971 - 1999, 2000 - present day
Small	<i>Aglais urticae</i>	First recorded	1907 - 1914,

tortoiseshell			1923 - 1955, 1956 - 1999, 2000 - present day
Small white	<i>Pieris rapae</i>	First recorded	1891 - 1953 (very good - 6306 records), 1956 - 1999, 2000 - present day
Speckled wood	<i>Pararge aegeria</i>	First recorded	1980 - 1999 2000 - present day
Wasp (queen)	<i>Vespula</i> (<i>Paravespula</i>) <i>vulgaris</i>	First recorded	1900 - 1936, 1970 - 1999 2000 - present day
Amphibians			
Common frog	<i>Rana temporaria</i>	Spawn first seen	1923 - 1948, 1975 - 1999, 2000 - present day
		Tadpoles first seen	1981 - 1999 (individual records) 2000 - present day
Newts	<i>Triturus spp</i>	First recorded	1995 - 1999 (individual records) 2000 - present day

There are a number of species and events for which we have historical records and these have not been included here. Such records are of species that we do not currently ask for records of on Nature's Calendar. If you are interested in these records, then please email the Nature's Calendar team: naturescalendar@woodlandtrust.org.uk